

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33

NANOMAN GUIT

3490

3400 →

3402

15 nm $\int TBS + 2 \mu m, t = 3.6 \mu m$ $5 \mu m$

E/G-34

四百一

1

三

四

M

~~Do It~~
~~Clean~~

1925-02-15, 2015-01-15 - 111

Position of Curser At Baseline
Located & Click. Tie Will Move
To Curser Position.

The diagram illustrates the evolution of the 'STATE' logo over time. It features a vertical timeline with horizontal grid lines. The years 1926, 1928, 1932, 1934, 1937, and 1940 are marked along the top. Below each year, there is a corresponding logo design. The designs show a progression from a simple rectangular box containing the word 'STATE' in 1926, through more stylized lettering and decorative elements in later years, to a more complex, rounded, and italicized font by 1940.

34482

CONFIGURER




FIG. 35




FIG. 36A




FIG. 36B

FIG. 36C




FIG. 3621




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43

